



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF VTE INCORPORATED. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF VTE INCORPORATED IS PROHIBITED.

LTR.	REVISIONS	DATE
A	ADDED P/N 16803040001 FUSE REPLACEMENT LABEL	06SEP07
B	REMOVED P/N 16803040001 LABEL	18FEB11
C	1.58 [40.1] WAS 1.74 [44.2]	27NOV12
D	MATERIAL WAS CLEAR PVC	07JUL15

(A)(B)




R0.13 [R3.2]



R0.92 [R23.3]

Ø0.73 [Ø18.4]

R0.73 [R18.4]



(C)

TOLERANCE UNLESS OTHERWISE SPECIFIED: ±0.30*/±0.8mm
 RADIAL DIAMETERS TO BE MEASURED OVER MANDRELS,
 RING GAGES OR PIN GAGES OF SUITABLE SIZE

(D)

Material:
 Material Part No:
 Max. Operating Temp:
 Durometer:
 Specific Gravity:
 Ult. Elongation %:
 Modulus PSI:
 Tensile Strength PSI:

Polypropylene Random Copolymer
 COPYLENE CR350CL-02 or Equivalent
 170 Deg. F.
 55-75 Shore D
 .902
 13.6
 145000
 4000



VTE Incorporated
 5437 Robinson Road, P.O. Box 790
 Pellston, Michigan 49769
 Telephone: 1-800-527-9256, 231-539-8000
 FAX: 231-539-0914

REF: ***	DATE: 23JUN05	DRN BY: BRH	WEIGHT: ***
TITLE: "T" CLASS FUSE HOLDER COVER			SCALE:
MATERIAL:		PART NO.	
COLOR: ***	DRG CLASS: ***	351N8P00	