


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF VTE INCORPORATED. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF VTE INCORPORATED IS PROHIBITED.

LTR.	REVISIONS	DATE
A	ADDED P/N 16803040001 FUSE REPLACEMENT LABEL	06SEP07
B	MATERIAL WAS CLEAR PVC	07JUL15

(A)

P/N 16803040001 LABEL,
FUSE REPLACEMENT,
SELF-ADHESIVE

351N8P00



R0.13 [R3.2]


R0.92 [R23.3]

Ø0.73 [Ø18.4]

R0.73 [R18.4]

1.74 [44.2]

1.89 [47.9]



7.51 [190.7]

TOLERANCE UNLESS OTHERWISE SPECIFIED: ±0.30*/±0.8mm
RADIAL DIAMETERS TO BE MEASURED OVER MANDRELS,
RING GAGES OR PIN GAGES OF SUITABLE SIZE

(B)

Material:
Material Part No:
Max. Operating Temp:
Durometer:
Specific Gravity:
Ult. Elongation %:
Modulus PSI:
Tensile Strength PSI:

Polypropylene Random Copolymer
COPYLENE CR350CL-02 or Equivalent
170 Deg. F.
55-75 Shore D
.902
13.6
145000
4000



VTE Incorporated
5437 Robinson Road, P.O. Box 790
Pellston, Michigan 49769
Telephone: 1-800-527-9256, 231-539-8000
FAX: 231-539-0914

REF: ***	DATE: 23JUN05	DRN BY: BRH	WEIGHT: ***
TITLE: "T" CLASS FUSE HOLDER COVER			SCALE:
MATERIAL:		PART NO.	
COLOR: ***	DRG CLASS: ***	751N8P00	